Please amend the subject application as follows:

IN THE CLAIMS:

Please cancel claims 10 and 20 and accept amended claims 1 and 18 and new claim 21 as follows:

- 1. (currently amended) A video display system mounted in a headrest in a vehicle, comprising:
 - a media player;
 - a base portion positioned substantially within the headrest;
 - a first hinge coupled to the base portion;
- an arm including a first end coupled to the first hinge, wherein the arm is movable about the first hinge;
 - a second hinge coupled to a second end of the arm; and
- a display panel coupled to the second hinge, wherein the display is movable about the second hinge, the display panel comprising a display, wherein:

the display panel is movable about the second hinge;

the base portion includes the media player; and

the media player receives a media comprising data to be displayed by
the display.

2. (original) The video display system of claim 1, wherein the display panel is latchable to the base portion, preventing movement of the display and arm.

- 3. (previously presented) The video display system of claim 1, wherein the display faces towards the base portion in a latched position.
- 4. (original) The video display system of claim 1, wherein the display faces away from the base portion in a latched position.
- 5. (original) The video display system of claim 1, further comprising a docking station for securing the base portion.
- 6. (original) The video display system of claim 5, wherein the docking station comprises a control for releasing the display from a latched position.
- 7. (original) The video display system of claim 5, wherein the docking station comprises a control for releasing the base portion from the docking station.
- 8. (original) The video display system of claim 5, wherein the docking station further comprises a door hinged along a side of the docking station for selectively concealing the video display system.
- 9. 10. (canceled)
- 11. (original) The video display system of claim 1, wherein the first hinge is

positioned along an edge of the base portion and the second hinge is positioned at a point between two opposing edges of the display panel.

12. (previously presented) A video display system comprising:

a base portion comprising a media player;

a display panel comprising a display, wherein the display panel is simultaneously moveable on an arc about a first point of the base portion and a plurality of second points defined along the arc, wherein the arc is on a plane perpendicular to the base portion; and

a docking station for securing the base portion substantially within a vehicle headrest.

13. (canceled)

- 14. (original) The video display system of claim 12, wherein the docking station comprises a door for concealing the video display system.
- 15. (previously presented) The video display system of claim 1, wherein the base portion is mounted to an internal portion of the headrest.
- 16. (previously presented) The video display system of claim 1, wherein the arm sits flat on a back side of the display panel when the display panel is in a stowed configuration.

- 17. (previously presented) The video display system of claim 1, wherein the second hinge is a ball and socket type hinge.
- 18. (currently amended) The video display system of claim [[10]] 1, wherein the display panel conceals a media loading point of the media player when the display panel is in a stowed configuration.
- 19. (previously presented) The video display system of claim 12, wherein the docking station is mounted to an internal portion of the headrest.
- 20. (canceled)
- 21. (new) A video display system mounted in a headrest in a vehicle, comprising:
 - a media player;
 - a base portion positioned substantially within the headrest;
 - a first hinge coupled to the base portion;
- an arm including a first end coupled to the first hinge, wherein the arm is movable about the first hinge;
- a second hinge coupled to a second end of the arm, wherein the second hinge is a ball and socket type hinge; and
- a display panel coupled to the second hinge, wherein the display panel is movable about the second hinge, the display panel comprising a display.